Road Guard



Professional-Grade Coatings & Undercarriage Protection

Road Guard



PREMIUM POLYURETHANE ROOF SYSTEM

XD TravelPRO™ ROOF COATING



A single-component, moisture-cure aliphatic polyurethane roof coating. This premium product forms a system with maximum durability and resistance to harsh weather and UV radiation. Can be applied in a single coat over 32 wet mils thick without blistering, while maintaining adhesion, making it an ideal choice for extending roof life with fewer application steps.

- ***Exceptional Durability*** — one of the hardest, most abrasion-resistant roof coatings available.
- ***High Tensile Strength*** — resists tears and withstands stresses caused by roof movement. Ideal for roofs that expand and contract with temperature changes.
- ***Excellent Elongation*** — can stretch 325% before tearing, bridging hairline cracks and minor surface movement.
- ***Impact Resistance*** — stands up to hail, foot traffic, and falling debris better than most other coatings.
- ***Hard, Tough Finish*** — resists scuffing, punctures, and mechanical damage.

Product ID	Description	QTY	Coverage	Shelf Life
RGXDTPRC.QTWH	1-Quart Can - White	4 per case	2-Gallons per 100 SQFT *(Apply 1-Coat)*	12-Months
RGXDTPRC.01WH	1-Gallon Pail - White			
RGXDTPRC.05WH	5-Gallon Pail - White	36 per pallet		
RGXDTPRC.QTGR	1-Quart Can - Gray	4 per case		
RGXDTPRC.01GR	1-Gallon Pail - Gray			
RGXDTPRC.05GR	5-Gallon Pail - Gray	36 per pallet		

XD TravelPRO™ ROOF SEALANT



A single-component polyurethane mastic designed as a versatile sealer for roof penetrations, curbs, seams, and other potential points of water intrusion on a roof. It is tough and extremely flexible, allowing it to adapt to temperature related expansion and contraction of the roof substrate.

- ***100% Waterproof Seal*** — creates an impenetrable barrier at joints and seams.
- ***Superior Adhesion*** — bonds to uneven surfaces.
- ***High Joint Movement Accommodation*** — handles thermal expansion and contraction without cracking or pulling away bridges cracks — fills and seals hairline to moderate cracks in membrane surfaces.
- ***Temperature Resistance*** — remains stable from extreme cold to high heat.
- ***Impact & Abrasion Resistance*** — tougher than silicone or butyl sealants.
- ***Non-Shrinking Cure*** — maintains full joint fill without pulling back from edges.

Product ID	Description	QTY	Coverage	Shelf Life
RGXDTPRS.PEAL	1/2 Gallon Pouch - Aluminum	4 per case	60 Linear FT per Gallon	12-Months
RGXDTPRS.01AL	1-Gallon Pail - Aluminum			

LIQUID RUBBER ROOF SYSTEM

LIQUID RUBBER ROOF COATING



Road Guard Liquid Rubber Roof Coating is designed to protect and extend the life of a RV roof. It forms a rubber barrier that helps seal aged roofs and penetrations while accommodating normal roof movements caused by travel and temperature changes. This coating provides strong resistance to weathering, UV stable and helps reduce ongoing maintenance. Easy to apply and ideal for roof restoration, it delivers long-lasting protection to keep RV roofs watertight and dependable on the road.

- ***Excellent Adhesion Without Primer*** — on many surfaces, no primer is required.
- ***Easy Application*** — brush, roller, or squeegee; no special equipment needed for smaller jobs.
- ***Excellent UV Stability*** — resists degradation, chalking, and surface breakdown from prolonged sun exposure.
- ***Tough Yet Flexible*** — combines rubber-like flexibility with a durable, resilient surface.
- ***Bridges Cracks & Movement Joints*** — accommodates significant structural movement without cracking.

Product ID	Description	QTY	Coverage	Shelf Life
RGLRRC.QTWH	1-Quart Can - White	4 per case	3-Gallons per 100 SQFT *(Apply in 2-Coats)*	24-Months
RGLRRC.01WH	1-Gallon Pail - White			
RGLRRC.05WH	5-Gallon Pail - White	36 per pallet		

LIQUID RUBBER ROOF SEALANT



Road Guard Liquid Rubber Roof Sealant is a high-performance sealant formulated to protect and waterproof roof penetrations including vents, pipes, fasteners, skylights and mounting hardware. Its tough yet highly flexible nature allows it to accommodate roof movement from temperature expansion and contraction, as well roof movement during travel. Designed for durability, it delivers long-lasting protection at the most leak-prone areas of an RV roof.

- ***Permanent Elasticity*** — never hardens, stiffens, or becomes brittle over time.
- ***100% Waterproof Seal*** — forms an impermeable rubber barrier at any joint, seam, or crack.
- ***Exceptional UV Resistance*** — resists surface degradation, chalking, and breakdown from prolonged sun exposure.
- ***Mold & Mildew Resistant*** — non-porous cured surface helps inhibit biological growth.
- ***Easy To Use*** — formulated to flow and settle for consistent coverage and improved encapsulation around complex details.

Product ID	Description	QTY	Coverage	Shelf Life
RGLRRS.PEAL	1/2 Gallon Pouch - White	4 per case	70 Linear FT per Gallon	24-Months
RGLRRS.01AL	1-Gallon Pail - White			





ROOF WASH *Cleaner/Degreaser*

A roof coating is only as good as what it's sticking to. If you apply it over algae, grease, dust, or oxidation, you're essentially gluing it to contamination — and that layer will eventually fail, taking your coating with it. Roof Wash is designed to remove organic growth, stains, and buildup from roofing surfaces.

- ***Removes Algae, Moss, Lichen, & Mold*** — the main culprits behind those black streaks and green patches on roofs.
- ***Breaks Down Grease*** and oil stains.
- ***Easy To Use*** — Works on multiple surfaces.
- ***Concentrate Formula*** — offer better value for larger or multiple jobs.
- ***Soft-Wash Compatible*** — formulated for low or high-pressure application, protecting existing roof from pressure washer damage.

Product ID	Description	QTY	Shelf Life
RGRWCD.01	1-Gallon Jug - Purple	4 per case	24-Months



FABRIC *– Polyester Reinforced*

Polyester fabric is commonly used to reinforce roof coating systems. When embedded in the coating, it helps bridge minor cracks, splits, and surface irregularities while increasing the tensile strength of the system. The reinforcement improves resistance to tearing and punctures and helps distribute stresses across the coated surface. Polyester fabric remains flexible and conforms well to roof details, making it an effective reinforcement for areas subject to movement and thermal cycling.

- ***Lightweight*** and easy to handle.
- ***Conforms*** well to irregular or curved surfaces.
- ***Resistant to mildew***, rot, and biological degradation — unlike fiberglass or natural fiber alternatives.
- ***Increased Strength*** providing better tear and puncture resistant.

Product ID	Description
RGFPR.424	4" x 24' Fabric - White



SEBS SEALANT *– Universal Thermoplastic*

SEBS Sealant SB is a high-performance, multipurpose thermoplastic construction sealant. It is used to seal seams, flashings and penetrations on all types of roof surfaces. Excellent adhesion to most surfaces including: metal, Kynar®, asphalt, shingles, modified bitumen, EPDM, TPO, Elvaloy/PVC, Hypalon, vinyl, fiber cement, wood, concrete, tile, masonry and glass. Ideal for applications where appearance is important.

- ***Low Dirt Pickup***
- ***Bonds Well*** to most common building substrates
- ***Remains Flexible*** to absorb expansion and contraction
- Ideal for residential or commercial applications

Product ID	Description	QTY	Coverage	Shelf Life
RGSEBSS.10	SEBS Sealant in 10.1 oz Tube	24 per case	26 LnFt at 1/4" bead	24-Months



BUTYL FABRIC TAPE *– Roofing Seam Tape*

Butyl Fabric Tape is widely regarded as one of the most reliable seam-sealing solutions in the roofing industry due to its combination of instant adhesion, long-term flexibility, and outstanding moisture resistance. It is a composite tape combining a butyl rubber adhesive with a fabric reinforcement layer. Butyl Fabric Tape has a fabric backing that allows for excellent adhesion of our roof coatings. Butyl Seam Tape provides increased protection against water penetration in all roof systems. Butyl rubber bonds aggressively to a wide variety of substrates — metal, TPO, EPDM, modified bitumen, wood, and concrete.

- ***Self-adhering*** — no primers required in many applications.
- ***Creates*** an immediate, watertight seal upon application.
- ***Ideal*** for sealing laps, seams, and end joints where water tends to infiltrate.
- ***Butyl rubber*** is highly resistant to UV degradation, ozone, and weathering.
- ***Peel-and-stick design*** allows for fast, clean installation without special tools or equipment.

Product ID	Description
RGBFT.450	4" x 50' Tape - White



LIQUID RUBBER SKYLIGHT COATING

Road Guard Liquid Rubber Skylight Coating is a single-component clear protective product made specifically for the skylights (plastic domes, acrylic or polycarbonate). As skylights age, their surface becomes UV exposed and starts forming small cracks that will fill with dirt and reduce how much light gets through. Skylight Coating protects against the age-related oxidization and chalking that can occur. This product can endure thermal cycling and will not crack or peel with temperature changes.

- ***UV Protection*** — Create a firm protective film to prevent oxidation.
- ***Protect From Weather Extremes*** — Flexible and easy to apply.
- ***Restore Clarity*** — No need to replace a cloudy skylight.
- ***Prevent Cracking*** — Will fill small cracks and create new smooth surface.
- ***Superior Adhesion*** — Sticks to most surfaces and will dry clear and remain flexible over time.

Product ID	Description	QTY	Coverage	Shelf Life
RGLRSC.PTCL	1-Pint Can - Clear	4 per case	1-Quart per 6 SQFT *(Apply in 2-Coats)*	24-Months
RGLRSC.QTCL	1-Quart Can - Clear			
RGLRSC.01CL	1-Gallon Can - Clear			



RUST CONVERTER *– Condition Ferrous Metals*

Road Guard Rust Converter is a safe, non-toxic, and non-flammable liquid phosphoric acid formulation that effectively conditions rust. In addition to treating rust and corrosion, it removes oil and can assist in stripping existing coatings or paint. This converts the rust itself into a primer-like layer rather than requiring you to remove every trace of it. It begins working immediately to transform rust into gray/black iron phosphate, effectively interrupting the rusting process. The converted layer provides good adhesion for primer and topcoat, especially compared to painting over untreated rust (which will continue to corrode underneath and cause paint failure).

- ***Save Time & Labor*** — Less grinding, sanding or blasting.
- ***Reaches Inaccessible Corrosion*** — Works on rust in crevices, seams, and pitted areas where mechanical abrasion tools can't fully access.
- ***Stops Active Corrosion*** — Chemically neutralizing the rust, it halts the oxidation process rather than just covering it up.
- ***Creates A Stable Painting Surface*** — The converted layer is typically black or dark bluish and provides good adhesion for primer and topcoat, especially compared to painting over untreated rust (which will continue to corrode underneath and cause paint failure).
- ***Cost-Effective*** — Cheaper than abrasive blasting equipment or extensive labor-intensive surface prep, particularly for large or numerous rusted items (attachments, equipment, or vehicle frames).
- ***Reduces Risk Of Missed Spots*** — Since it's applied as a liquid, it can penetrate and treat rust in areas a wire wheel or sandpaper might skip.

Product ID	Description	QTY	Coverage	Shelf Life
RGRUSTC.SPRA	32oz Spray Bottle - Clear	6 per case	120-150 SQFT per Bottle	24-Months



XRC

PREMIUM UNDERCOATINGS

OEM • DIY • DEALERS • SERVICE CENTERS

Automotive • Chassis, Frames & Beds • AG/Farm Equipment • All Trailer Types • Fertilizer Handling • Disposal Containers SINCE 1978



XRC-2001
Liquid Rubber Rock Guard – FAST DRY

From RV and trailer owners to farmers or industrial business, this is one of the highest-ROI protective coatings you can apply yourself — cheap insurance against the constant barrage of weather and road hazards that come with long working days and highway travel. XRC-2001 Fast Drying coating is UV stable and represents the gold standard in RV, trailer, undercarriage and implement protection — combining the physical toughness of a rubber membrane with the long-term stability of UV protection. This product delivers a system that genuinely lasts the years on your equipment while keeping it quieter, drier, and better protected hour after hour and mile after mile. This product can be applied in multiple coats. Apply 2-3 layers to built up protection creating a more robust physical barrier against rock chips, road debris, and abrasion.

- ***Save Time & Labor*** — Less grinding, sanding or blasting.
- ***Reaches Inaccessible Corrosion*** — Works on rust in crevices, seams, and pitted areas where mechanical abrasion tools can't fully access.
- ***Stops Active Corrosion*** — Chemically neutralizing the rust, it halts the oxidation process rather than just covering it up.
- ***Creates A Stable Painting Surface*** — The converted layer is typically black or dark bluish and provides good adhesion for primer and topcoat, especially compared to painting over untreated rust (which will continue to corrode underneath and cause paint failure).
- ***Cost-Effective*** — Cheaper than abrasive blasting equipment or extensive labor-intensive surface prep, particularly for large or numerous rusted items (attachments, equipment, or vehicle frames).
- ***Reduces Risk Of Missed Spots*** — Since it's applied as a liquid, it can penetrate and treat rust in areas a wire wheel or sandpaper might skip.

Product ID	Description	QTY	Coverage	Finish	UV Stable	Shelf Life
RGXRC2001.AERO	16oz Aerosol Spray Can - Black	12 per case	1-Gallon per 100-120 SQFT	Slight shine/ sheen, smooth, firm, flexible film	Yes	24-Months
RGXRC2001.QTBK	1-Quart Can - Black	4 per case				
RGXRC2001.01BK	1-Gallon Pail - Black					
RGXRC2001.05BK	5-Gallon Pail - Black	36 per pallet				
RGXRC2001.55BK	55-Gallon Drum - Black	4 per pallet				



XRC-106 *Liquid Rubber Undercoating*

Road Guard Liquid Rubber Undercoating is designed to protect and extend the life of your vehicle undercarriage. It forms a continuous barrier that seals metal surfaces from moisture, oxygen, and road salts — the primary causes of rust and corrosion. This will penetrates into seams and crevices where moisture typically collects and causes hidden rust. This product is particularly valuable in northern climates where road salt is heavily used in winter protecting steel frame members, cross-members, and floor supports from long-term corrosion.

- ***Completely seals*** the undercarriage against water intrusion from rain, puddles, and road spray.
- ***Prevents moisture*** from wicking into seams, joints, and overlapping metal panels.
- ***Keeps underbelly*** insulation dry, maintaining its thermal efficiency.
- ***Does not need*** semi-annual reapplication like some protective sprays.
- ***Multiple coats*** can be built up for extra protection.

Product ID	Description	QTY	Coverage	Finish	UV Stable	Shelf Life
RGXRC106.AERO	16oz Aerosol Spray Can - Black	12 per case	1-Gallon per 100-120 SQFT	Matte, smooth, firm, flexible film	No	24-Months
RGXRC106.QTBK	1-Quart Can - Black	4 per case				
RGXRC106.01BK	1-Gallon Pail - Black					
RGXRC106.05BK	5-Gallon Pail - Black	36 per pallet				
RGXRC106.55BK	55-Gallon Drum - Black	4 per pallet				



XRC-110 *Silent Ride® Liquid Rubber Undercoating – HEAVY*

- ***Silent Ride®*** heavy film build delivers a dramatically longer service life than standard products.
- ***Heavy Body*** formulation fills surface irregularities for maximum mechanical adhesion.
- ***Thick Continuous Barrier*** that completely seals metal surfaces from moisture, oxygen, and corrosive road salts.
- ***Critical Protection*** for wheel wells, front caps, and lower skirt areas that take the most road debris punishment.
- ***Cured Membrane*** remains firm and highly-flexible.

Product ID	Description	QTY	Coverage	Finish	UV Stable	Shelf Life
RGXRC110.AERO	16oz Aerosol Spray Can - Black	12 per case	1-Gallon per 100-120 SQFT	Matte, smooth, firm, flexible film	No	24-Months
RGXRC110.QTBK	1-Quart Can - Black	4 per case				
RGXRC110.01BK	1-Gallon Pail - Black					
RGXRC110.05BK	5-Gallon Pail - Black	36 per pallet				
RGXRC110.55BK	55-Gallon Drum - Black	4 per pallet				

704-680-6899 • liquidrubber.com



Road Guard
PO Box 1088 • China Grove, NC 28023
704-680-6899 • liquidrubber.com
REV 10/26
LIT.RGCAT