

# INLAND

## PRODUCT CATALOG

PREMIUM ROOF COATINGS, SEALANTS & ACCESSORIES





# INLAND

## PREMIUM ROOF COATINGS & ACCESSORIES

<b>SILICONE</b>			<i>Color(s)</i>	<i>Packaging</i>
<b>AldoSil 397</b>	High-Solids	AldoSil 397 is a high-solids, moisture-curing silicone roof coating formulated to provide long-lasting protection for a wide range of roofing substrates. It offers excellent resistance to severe weather conditions, UV radiation, and standing water. It serves as an effective solution for extending the service life of many roof systems. Can be applied in a single coat over 40 wet mils thick without blistering, while maintaining adhesion, making it an ideal choice for extending roof life with fewer application steps.	White, Tan, Gray, Black <i>(Custom Colors Available)</i>	1-Gal 5-Gal 50-Gal
<b>AldoSil 395</b>	Low-Solids	AldoSil 395 is a solvent-based, moisture-curing silicone roof coating engineered to provide long-lasting protection across a variety of roofing surfaces. It offers strong resistance to harsh weather, UV exposure, and water intrusion. Known for its superior adhesion and ability to fill voids and surface imperfections, it is a preferred choice for spray foam roofs.	White, Tan, Gray, Black <i>(Custom Colors Available)</i>	5-Gal 50-Gal
<b>AldoSil 399</b>	Mastic	AldoSil 399 is a high-solids, non-shrinking silicone mastic specifically formulated for use in sealing roof penetrations, curbs, seams and any other roof top areas of possible water infiltration.	White, Gray, Black	1-Gal 2-Gal 5-Gal
<b>AldoSil 398</b>	Skylight Coating	AldoSil 398 is a clear, moisture-curing silicone coating that can be applied with a brush. It is specially formulated to seal and restore weathered fiberglass skylights.	Clear	1-Gal 5-Gal
<b>AldoSil 390</b>	Leveler	AldoSil 390 Leveler is a moisture curing, high solids, silicone coating used to smooth and level roof surfaces that are too rough or irregular for direct application of a roof coating. Designed for use over gravel surfaced built-up roof systems, "alligatoring" conditions commonly found on other asphalt based roof systems and concrete roofs. It provides an effective base layer for additional layers of silicone roof coating.	Red	5-Gal 50-Gal

<b>SEBS</b>			<i>Color(s)</i>	<i>Packaging</i>
<b>RC 2000</b>	Roof Coating	RC 2000 is a solvent-based thermoplastic rubber coating designed for effective corrosion control and high solar reflectance for increased energy savings. It offers excellent dirt pick-up resistance and strong adhesion to various substrates. It is tough and extremely flexible, allowing it to adapt to temperature related expansion and contraction of the roof substrate.	White, Tan, Gray	1-Gal 5-Gal 55-Gal
<b>RC 2250</b>	Flashing Compound	RC 2250 is an extrudable solvent-based thermoplastic rubber flashing compound that is extremely effective for sealing fasteners, laps and penetrations on various roof surfaces. It is tough and extremely flexible, allowing it to adapt to temperature related expansion and contraction of the roof substrate.	White, Gray	1-Gal 3-Gal 5-Gal
<b>RC 2500</b>	Mastic	RC 2500 is an trowel grade version of RC 2250.	White	1-Gal 3-Gal 5-Gal
<b>SL 2100</b>	Skylight Coating	SL 2100 is a clear, brushable, solvent-based thermoplastic rubber skylight coating intended for waterproofing and restoring fiberglass skylights.	Clear	1-Gal 5-Gal

<b>POLYURETHANE</b>			<i>Color(s)</i>	<i>Packaging</i>
<b>AldoThane 386</b>	Roof Coating	AldoThane 386 is a UV-stable, high-solids, single-component, moisture-cure, aliphatic polyurethane elastomeric coating.	White, Gray	1-Gal 5-Gal 55-Gal
<b>AldoThane 385</b>	Mastic	AldoThane 385 is a high-solids, single-component, moisture-cure, polyurethane elastomeric mastic designed for sealing fasteners, laps/seams, penetrations and other detail work.	Aluminum	1-Gal 5-Gal 55-Gal
<b>AldoThane 384</b>	Base Coat	AldoThane 384 is a high-solids, single-component, moisture-cure, aromatic polyurethane elastomeric base coat.	Aluminum	5-Gal 55-Gal



<b>ACRYLIC</b>			<i>Color(s)</i>	<i>Packaging</i>
<b>AldoCoat 374</b>	Base Coat	AldoCoat 374C is a water-based elastomeric coating, that provides long-lasting protection across a variety of roofing surfaces. It helps maintain a cooler roof temperature and enhances the durability of both new and existing roofing systems by protecting against UV degradation and harsh weather conditions. <i>(Standard Colors ONLY)</i>	Gray ONLY	5-Gal 55-Gal 250-Gal
<b>AldoCoat 400S</b>	Roof Coating	AldoCoat 400S is a high quality water-based elastomeric coating, offered in white or tinted options, that provides long-lasting protection across a variety of roofing surfaces. It helps maintain a cooler roof temperature and enhances the durability of both new and existing roofing systems by protecting against UV degradation and harsh weather conditions.	White, Tan, Gray <i>(Custom Colors Available)</i>	5-Gal 55-Gal 250-Gal
<b>AldoSeal 750</b>	Mastic	AldoSeal 750 is a premium grade white elastomeric mastic with excellent pliability. This product is designed for use on various flashing and detail conditions. It provides great flexibility while maintaining high tensile strength performance.	White	2-Gal 5-Gal
<b>AldoSeal 750F</b>	Fibred Mastic	AldoSeal 750F is a fibred elastomeric acrylic mastic. This product is designed for use on various flashing and detail conditions. It provides great flexibility while maintaining high tensile strength performance.	White	2-Gal 5-Gal
<b>Special Order Acrylics</b>				
<b>AldoCoat TE+</b>	High-Tensile	AldoCoat TE+ is a premium, high-tensile, water-based elastomeric coating designed for durability. Suitable for use as both a base coat and a topcoat, it offers exceptional tensile strength for enhanced durability to endure a wide range of challenging environmental conditions.	White, Tan, Gray	5-Gal 55-Gal 250-Gal
<b>AldoCoat SB+</b>	Bleed Blocking	AldoCoat SB+ is a high-solids, premium grade, water based elastomeric coating designed to reduce bleed through on asphalt substrates. It can be used as either a base coat or a topcoat. It offers excellent resistance to UV exposure and weathering of the roof surface.	White, Tan, Gray	5-Gal 55-Gal 250-Gal
<b>AldoCoat HV</b>	High-Viscosity	AldoCoat HV is a high-viscosity, water-based elastomeric acrylic roof coating with exceptional flow and leveling properties. Formulated specifically for hot-dry climates, it offers outstanding reflectivity, shielding roofs from harmful UV rays. Designed to offer excellent wet to dry hiding power, ensuring consistent coverage throughout application and curing.	White, Tan, Gray	5-Gal 55-Gal 250-Gal
<b>AldoCoat QS</b>	Quick Set	AldoCoat QS is an advanced water-based, quick set, elastomeric acrylic roof coating. Its' fast-drying formula offers early resistance to light rain, helping safeguard the application during unpredictable weather. This product enhances the durability of the existing roof systems, shielding them from ultraviolet rays and weather related elements.	White, Tan, Gray	5-Gal 55-Gal 250-Gal
<b>PRIMERS &amp; CLEANERS</b>			<i>Color(s)</i>	<i>Packaging</i>
<b>AldoPrime 710</b>	Rust Primer	AldoPrime 710 is a rust-inhibiting primer specifically formulated to stop the progression of oxidation that leads to rust. It is intended for use on ferrous metal substrates. Compatible with a broad selection of finish coats.	Gray	5-Gal 55-Gal
<b>AldoBlock 708</b>	Bleed Blocking Primer	AldoBlock 708 is a low-VOC acrylic primer with asphalt stain-blocking capabilities, formulated to enhance adhesion across a variety of substrates.	Gray	5-Gal 55-Gal 250-Gal
<b>AldoPrime TPO</b>	TPO Primer	AldoPrime TPO Primer is a VOC compliant, solvent-based primer formulated for application over aged TPO membranes to enhance the adhesion of acrylic, urethane and silicone roof coatings.	Orange	5-Gal 55-Gal
<b>EPDM Cleaner</b>	EPDM Cleaner	EPDM Cleaner is a highly effective cleaner specifically formulated to prepare EPDM membranes.	Light Purple	5-Gal 55-Gal
<b>RRC-600</b>	Rust Conditioner	RRC-600 is a liquid rust conditioner and converter that effectively prepares rusted metal surfaces for coating.	Clear	5-Gal

## REPAIR & MAINTENANCE

			Color(s)	Packaging
<b>PRO REPAIR Urethane Sealant</b>	Multi-Purpose	Pro-Repair Urethane Sealant is a versatile, single-component moisture-cured sealant that spreads easily and is designed for fasteners, penetrations, curbs, seams, and other potential points of water intrusion on a roof. Its high tensile strength allows the cured membrane to withstand roof movement and thermal expansion while maintaining a durable, watertight seal.	Aluminum	1/2-Gal Pouch
<b>PRO REPAIR SEBS Sealant</b>	Multi-Purpose	Pro-Repair SEBS Sealant is an easy-to-apply high-performance, self-leveling thermoplastic rubberized sealant with long-term UV resistance. Its flowable characteristics allow the material to level and seal around fasteners, penetrations, curbs, seams, and other potential points of water intrusion on roofing systems.	White, Gray	1/2-Gal Pouch
<b>PRO REPAIR Patch</b>	Multi-Purpose	Pro-Repair Patch is a solvent-based mastic with reinforcing fibers formulated to repair a variety of traditional roofing materials, making it an ideal maintenance solution for most roofs in any weather condition. High elongation and tensile strength ensure reliable performance in conditions where asphalt-based cements would fail. This specialized, trowel-grade formula can be applied even on wet or underwater surfaces.	White, Black	1-Gal 3-Gal

## SEALANTS

			Color(s)	Packaging
<b>Silicone Sealant SI</b>	Moisture-Cure	100% Silicone Sealant SI is a professional grade, medium-modulus silicone designed for various roofing and joint applications. It can be used as a prepping material prior to applying our 100% Silicone Roof Coating, and as a repair product.	White, Gray, Tan	10.1oz cartridge 20oz sausage
<b>Hybrid Technology HT</b>	Multi-Purpose	Hybrid Technology Sealant is a professional grade high performance joint sealant used for a wide range of construction applications. 100% solids - low shrinkage, fast curing, paint compatible, mildew resistant.	White, Gray, Black, Bronze, Clear	10.1oz cartridge 20oz sausage
<b>SEBS Sealant SB</b>	Universal Thermoplastic	SEBS Sealant SB is a professional grade sealant used for sealing flashings and penetrations on all types of roofs. Excellent adhesion to most construction surfaces.	White, Gray, Black, Bronze, Clear	10.1oz cartridge
<b>Gutter Sealant GS</b>	Gutter Sealant	Gutter Sealant GS is a professional grade gutter & seam sealant. Formulated especially for sealing aluminum, galvanized, and prefinished gutters and downspouts. 100% solids - no shrinkage, low dirt pickup, solvent and isocyanate free, remains flexible to absorb expansion and contraction.	White, Bronze	10.1oz cartridge
<b>Pourable Sealer</b>	Liquid Sealant	Pourable Sealer is a professional grade one-part semi-self-leveling liquid flashing used in pitch pans for sealing roof penetrations, metal roof seams, and other building envelope applications.	White, Gray, Black	2-Liter pouch

## ACCESSORIES

			Color(s)	Packaging
<b>Butyl Seam Tape</b>	Butyl Seam Tape	Butyl Seam Tape is a high-performance butyl adhesive tape with a fabric backing that provides aggressive adhesion to most substrates.	Gray	2" x 50' (24/box) 4" x 50' (12/box)
<b>T272 Fabric</b>	Polyester	Fabric is a soft, easily conformable, stitch-bonded polyester fabric used as reinforcement with mastics and coatings.	White	4" x 300' 6" x 300' 40" x 324'
<b>Universal Curb Kit</b>	Flashing Kit	Universal Curb Kit is a versatile roof penetration system designed to seal penetrations on most roof types. Its flexible polymer rubber design with aluminum reinforcement allows for easy forming and cutting to any size or shape, without the need for custom forms or tools.	Gray	52" Flexible Form 2L Pourable Sealer 10.1oz cartridge
<b>IN-Slope Ponding Water Eliminator</b>	Ponding Filler	IN-Slope is a lightweight roof-leveling compound designed to help eliminate ponding water area on low-slope roofs. It creates a positive slope by filling low spots and diverting standing water.	Gray/Black	5-Gal 27-Gal tote

*Disclaimer: Colors will vary depending on the chemistry.*



1320 Litton Drive  
Salisbury, NC 28147  
704-932-3054  
Inlandcoatings.com

Rev. 3/26  
LIT.PRODCAT